

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	575	(SI P (session adj3 initiat\$3 adj3 protocol))near20 message near20 (code intruction program\$4 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 11:33
S2	133	(SI P (session adj3 initiat\$3 adj3 protocol))near20 message near20 (code intruction program\$4 ) same (client node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 11:34
S3	51	(SI P (session adj3 initiat\$3 adj3 protocol))near20 message near20 (contain\$4 stor\$4 includ\$3)near20 (code intruction program\$4 ) same (client node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 11:34
S4	3	(SI P (session adj3 initiat\$3 adj3 protocol))near20 message near20 (contain\$4 stor\$4 includ\$3)near20 (code intruction program\$4 ) same (first second ) near10 (client node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 11:35
S5	1	(SI P (session adj3 initiat\$3 adj3 protocol))near20 message near20 (contain\$4 stor\$4 includ\$3)near20 (code intruction program\$4 ) same (first second ) near10 (client node) same session	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 11:35
S6	9	(SI P (session adj3 initiat\$3 adj3 protocol))near20 message near20 (contain\$4 stor\$4 includ\$3)near20 (code intruction program\$4 ) same (first second ) near10 (client node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 11:37
S7	9	(SI P (session adj3 initiat\$3 adj3 protocol))near20 message near20 (contain\$4 stor\$4 includ\$3)near20 (code intruction program\$4 ) same (first second another) near10 (client node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 11:37

S8	9	(SIP (session adj3 initiat\$3 adj3 protocol))near20 message near20 (contain\$4 stor\$4 includ\$3)near20 (code intruction program\$4 ) same (first second another) near15 (client node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 11:38
S9	8	(SIP (session adj3 initiat\$3 adj3 protocol))near20 message near20 (contain\$4 stor\$4 includ\$3)near20 (code intruction program\$4 ) same (first second another) near5 (client node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 11:38
S10	18	(send\$3 forward\$3 receiv\$3 determin\$3 ) near20 (SIP (session adj3 initiat\$3 adj3 protocol))near20 message near20 (contain\$4 stor\$4 includ\$3)near20 (code intruction program\$4 ) same (client node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 11:48
S11	494	(send\$3 forward\$3 receiv\$3 determin\$3 ) near20 (SIP (session adj3 initiat\$3 adj3 protocol function module)) near20 message near20 (contain\$4 stor\$4 includ\$3) near20 (code intruction program\$4 ) same (client node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 11:49
S12	608	(send\$3 forward\$3 receiv\$3 determin\$3 ) near20 (SIP (session adj3 initiat\$3 adj3 protocol function module software))near20 message near20 (contain\$4 stor\$4 includ\$3)near20 (code intruction program\$4 ) same (client node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 11:49
S13	92	(send\$3 forward\$3 receiv\$3 determin\$3 ) near20 (SIP (session adj3 initiat\$3 adj3 protocol function module software))near20 message near20 (contain\$4 stor\$4 includ\$3)near20 (code intruction program\$4 ) same (first second another)near20 (client node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 11:50

S14	77	(send\$3 forward\$3 receive\$3 determin\$3 ) near20 (SIP (session adj3 initiate\$3 adj3 protocol function module software))near20 message near20 (contain\$4 stor\$4 includ\$3)near20 (code intrusion program\$4 ) near30 (first second another) near20 (client node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 11:51
S15	29	(send\$3 forward\$3 receive\$3 determin\$3 ) near20 (SIP (session adj3 initiate\$3 adj3 protocol function ))near20 message near20 (contain\$4 stor\$4 includ\$3)near20 (code intrusion program\$4 ) near30 (first second another) near20 (client node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 11:51
S16	15	(send\$3 forward\$3 receive\$3 determin\$3 ) near20 (SIP (session adj3 initiate\$3 adj3 protocol ) near20 message near20 (contain\$4 stor\$4 includ\$3)near20 (code intrusion program\$4 function module software) near30 (first second another) near20 (client node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 11:53
S17	350	(send\$3 forward\$3 receive\$3 determin\$3 ) near20 (SIP (session adj3 initiate\$3 adj3 protocol ) near20 message near20 (contain\$4 stor\$4 includ\$3)near20 (code intrusion program\$4 function module software)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 11:56
S18	2	(send\$3 forward\$3 receive\$3 determin\$3 ) near20 (SIP (session adj3 initiate\$3 adj3 protocol function ))near20 message near20 (contain\$4 stor\$4 includ\$3)near20 (code intrusion program\$4 ) near30 (first second another) near20 (client node) and @pd<="20000101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 11:58
S19	0	(SIP (session adj3 initiate\$3 adj3 protocol))near20 message near20 (contain\$4 stor\$4 includ\$3)near20 (code intrusion program\$4 ) same (client node) and @pd<="20000101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:00

S20	27059708	I1 and @pd<="20000101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:03
S21	6	S1 and @pd<="20000101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:11
S22	69	S1 and @pd<="20040101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:11
S23	8	S1 and @pd<="20020101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 12:11
S24	907	(SIP (session adj3 initiat\$3 adj3 protocol))near20 message near20 (code software instruction command)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 19:15
S25	157	(SIP (session adj3 initiat\$3 adj3 protocol))near20 message near20 (code software instruction command) near20 (node client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 19:15
S26	31458392	(SIP (session adj3 initiat\$3 adj3 protocol))near20 message near20 (code software instruction command) near20 (node client) @pd<="20030101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 19:15
S27	6	(SIP (session adj3 initiat\$3 adj3 protocol))near20 message near20 (code software instruction command) near20 (node client) and @pd<="20030101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 19:15
S28	8	(SIP (session adj3 initiat\$3 adj3 protocol))same message near20 (code software instruction command) near20 (node client) and @pd<="20030101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 19:25

S29	9	(SIP (session adj3 initiat\$3 adj3 protocol))same (message request\$3) near20 (code software instruction command) near20 (node client) and @pd<="20030101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 19:26
S30	0	(SIP (session adj3 initiat\$3 adj3 protocol))same (message request\$3) near20 (code software instruction command) near20 (node client) and @pd<="20010101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 19:27
S31	0	(SIP (session adj3 initiat\$3 adj3 protocol))same (message request\$3) near20 (code software instruction command) near20 (node client) and @pd<="20020101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 19:27
S32	0	(SIP (session adj3 initiat\$3 adj3 protocol))same (message request\$3 demand \$3) near20 (code software instruction command) near20 (node client) and @pd<="20020101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 19:28
S33	0	(SIP (session adj3 initiat\$3 adj3 protocol))same (message request\$3 demand\$3) near20 (code software instruction command) near20 (node client) and @pd<="20020101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 19:28
S34	108	(SIP (session adj3 initiat\$3 adj3 protocol))same (message request\$3) near20 (node client) and @pd<="20030101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 19:28
S35	5	(SIP (session adj3 initiat\$3 adj3 protocol))same (message request\$3) near20 (node client) and @pd<="20010101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 19:28
S36	4	(SIP (session adj3 initiat\$3 adj3 protocol))near20 (message request\$3) near20 (node client) and @pd<="20010101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 19:28

S37	2	"6567399".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/21 19:31
-----	---	---------------	---	----	----	---------------------

11/21/08 8:58:18 PM

C:\Documents and Settings\jjeangilles\My Documents\EAST\Workspaces\09520853nov08.wsp